

EXHIBIT 1



Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV000129 May 2024 (06/10/2024)
Status: ERIIS - Closed - Issued

Type: Electronic DMR #148327
Permit ID: EDMR148327
Printed: Feb. 12, 2025 2:35 PM

eDMR Worksheet

Permit: Outlet No: Type:

Lab Performing Analysis:

Report for the Month of: Year:

Parameter	Permit Limits	Quantity				Other Units							Measurement Frequency	Sample Type	Lab	
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.	Test Flag				
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						5.01 Rpt Only Avg. Month	5.49 Rpt Only Max. Daily		mgd	0	1/week 1/week	measured	999		
	Permit Limits	N/A	N/A			N/A								<div>✓</div>		
00310 (ML-1) RF-A Bod Year Round	Reported	61.7	73.8				1.4 Rpt Only Avg. Month	1.6 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361		
	Permit Limits	404 Avg. Month	1078 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	556.4	1099.6				12.9 Rpt Only Avg. Month	25.5 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361		
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	318.7	830.0				2.7 Rpt Only Avg. Month	13.5 Rpt Only Max. Daily		mg/l	0	1/week 1/week	Calculated	361		
	Permit Limits	681 Avg. Month	2210 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported						87.7 Rpt Only Mon. Geo.	1203.3 Rpt Only Max. Daily		Cnts/100ml	1	1/month 1/month	Grab	361		
	Order Limits	N/A	N/A			N/A								<div>✓</div>		
00400 (ML-1) RF-A Ph Year Round	Reported					6.30 Inst. Min.	N/A	11.72 Inst. Max.		S.U.	0	Continuous Continuous	Recorded	999		
	Permit Limits	N/A	N/A											<div>✓</div>		
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	33.0	47.8				0.8 Rpt Only Avg. Month	1.1 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361		
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100 Rpt Only Avg. Month	<0.100 Rpt Only Max. Daily	0.1	mg/l	0	1/week 1/week	Grab	999		
	Permit Limits	N/A	N/A			N/A								<div>✓</div>		
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported						<0.01 Rpt Only Avg. Month	<0.01 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361		
	Permit Limits	N/A	N/A			N/A								<div>✓</div>		
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	<0.01	<0.01				<0.02 Rpt Only Avg. Month	<0.02 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361		
	Permit Limits	0.62 Avg. Month	2.9 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported		0									Continuous Continuous	Continuous	999		
	Permit Limits	N/A	0 Max. Daily	Ocur/Mon	0	N/A	N/A	N/A						<div>✓</div>		
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported							58 Monthly Tot		Minutes	0	Continuous Continuous	Continuous	999		
	Permit Limits	N/A	N/A			N/A	N/A							<div>✓</div>		
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	<0.01	<0.01				<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361		
	Permit Limits	1.9 Avg. Month	5.1 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.004	<0.004				<0.1 Rpt Only Avg. Month	<0.1 Rpt Only Max. Daily		mg/l	0	1/month 1/month	Grab	361		
	Permit Limits	0.48 Avg. Month	1.3 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported						4.2 Rpt Only Avg. Month	4.2 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361		
	Permit Limits	N/A	N/A			N/A								<div>✓</div>		
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.007	0.007				0.18 Rpt Only Avg. Month	0.18 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361		
	Permit Limits	1.9 Avg. Month	5.6 Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
81020 (ML-1) RF-A Sulfate Year Round	Reported						721.0 Rpt Only Avg. Month	721.0 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361		
	Permit Limits	N/A	N/A			N/A								<div>✓</div>		
51065 (ML-1) RF-A Ploa Year Round	Reported	0.03	0.05				0.80 Rpt Only Avg. Month	1.10 Rpt Only Max. Daily		ug/l	0	1/week 1/week	24 hr Composite	055		
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.04	0.12				2.63 Rpt Only Avg. Month	0.92 Rpt Only Max. Daily		ug/l	1	1/week 1/week	24 hr Composite	055		
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A								<div>✓</div>		

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee:

James Hollingsworth

Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

6/20/2024





Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV0001279 June 2024
(07/10/2024)
Status: ERIIS - Closed - Issued

Type: Electronic DMR
#149484
Permit ID: EDMR149484
Printed: Feb. 12, 2025 2:31 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 002 Type: NORMAL
 Report for the Month of: June Year: 2024

Lab Performing Analysis:
 361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						5.10	5.90		mgd	0	1/week	measured	999
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00310 (ML-1) RF-A Bod Year Round	Reported	101.6	131.0	Lbs/Daily	0		2.3	3.1		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	404	1078				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	370.9	688.1	Lbs/Daily	0		8.4	15.5		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	224.9	514.6	Lbs/Daily	0		2.6	8.0		mg/l	0	1/week	Calculated	361
	Permit Limits	681	2210				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported						<1.0	<1.0		Cnts/100ml	0	1/month	Grab	361
	Order Limits	N/A	N/A				Rpt Only Mon. Geo.	Rpt Only Max. Daily				1/month		✓
00400 (ML-1) RF-A Ph Year Round	Reported					6.18		10.68		S.U.	0	Continuous	Recorded	361
	Permit Limits	N/A	N/A			6 Inst. Min.	N/A	9 Inst. Max.				Continuous		✓
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	67.3	181.6	Lbs/Daily	0		1.6	4.3		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				3.2	5.4				1/week		✓
00620 (ML-1) RF-B Nitrogen, Nitrate Total (As N) Year Round	Reported						0.66	0.66		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100		mg/l	0	1/week	Grab	999
	Permit Limits	N/A	N/A				0.028	0.057	0.1			1/week		✓
01119 (ML-1) RF-B Copper Total Recoverable Year Round	Reported						0.007	0.007		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported						0.03	0.03		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
71900 (ML-1) RF-B Mercury, Total (As Hg) Year Round	Reported						0.0197	0.0197		ug/l	0	1/quarter	Grab	060
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
01104 (ML-1) RF-B Aluminum, Total Recoverable Year Round	Reported						0.60	0.60		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
00980 (ML-1) RF-B Iron, Total Recoverable Year Round	Reported						1.37	1.37		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
00940 (ML-1) RF-B Chloride (As Cl) Year Round	Reported						124.0	124.0		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
61425 (ML-1) RF-B Toxicity, Ceriodaphnia Acute Year Round	Reported						<1.0	<1.0		TUa	0	1/quarter	24 hr Composite	060
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
61427 (ML-1) RF-B Toxicity, Pimephales Acute Year Round	Reported						<1.0	<1.0		TUa	0	1/quarter	24 hr Composite	060
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	<0.01	<0.01	Lbs/Daily	0		<0.2	<0.2		ug/l	0	1/month	Grab	361
	Permit Limits	0.62	2.9				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported		0	Ocur/Mon	0							Continuous	Continuous	999
	Permit Limits	N/A	Max. Daily				N/A	N/A	N/A			Continuous		✓
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported							2		Minutes	0	Continuous	Continuous	999
	Permit Limits	N/A	N/A				N/A	N/A	446			Continuous		✓
39180 (ML-1) RF-B Trichloroethylene Year Round	Reported	<0.01	<0.01	Lbs/Daily	0		<0.23	<0.23		ug/l	0	1/quarter	Grab	361
	Permit Limits	0.45	1.2				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	<0.01	<0.01	Lbs/Daily	0		<0.2	<0.2		ug/l	0	1/month	Grab	361
	Permit Limits	1.9	5.1				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
01051 (ML-1) RF-B Lead, Total (As Pb) Year Round	Reported						<0.008	<0.008		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
79531 (ML-1) RF-B 3,4 Benzofluoranthene Year Round	Reported	<0.01	<0.01	Lbs/Daily	0		<0.25	<0.25		ug/l	0	1/quarter	24 hr Composite	055
	Permit Limits	0.34	0.82				0.1	0.15				1/quarter		✓
00981 (ML-1) RF-B Selenium, Total Recoverable Year Round	Reported						<0.014	<0.014		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
00978 (ML-1) RF-B Arsenic, Total Recoverable Year Round	Reported						<0.004	<0.004		mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/quarter		✓
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.004	<0.004	Lbs/Daily	0		<0.1	<0.1		mg/l	0	1/month	Grab	361
	Permit Limits	0.48	1.3				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓

01097 (ML-1) RF-B Antimony, Total (As Sb) Year Round	Reported						<0.04 Rpt Only Avg. Month	<0.04 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A								✓
32730 (ML-1) RF-B Phenolics, Total Recoverable Year Round	Reported						0.013 Rpt Only Avg. Month	0.013 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A								✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported						2.7 Rpt Only Avg. Month	2.7 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A								✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	<0.004 1.9 Avg. Month	<0.004 5.6 Max. Daily	Lbs/Day	0		<0.1 Rpt Only Avg. Month	<0.1 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361
	Permit Limits					N/A								✓
81020 (ML-1) RF-A Sulfate Year Round	Reported						698.0 Rpt Only Avg. Month	698.0 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A								✓
01059 (ML-1) RF-B Thallium, Total (As Tl) Year Round	Reported						<0.08 Rpt Only Avg. Month	<0.08 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A								✓
51065 (ML-1) RF-A Ploa Year Round	Reported	0.03 Rpt Only Avg. Month	0.04 Rpt Only Max. Daily	Lbs/Day	0		0.59 Rpt Only Avg. Month	0.91 Rpt Only Max. Daily		ug/l	0	1/week 1/week	24 hr Composite	055
	Permit Limits					N/A								✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.06 Rpt Only Avg. Month	0.20 Rpt Only Max. Daily	Lbs/Day	0		1.47 Rpt Only Avg. Month	4.60 Rpt Only Max. Daily		ug/l	2	1/week 1/week	24 hr Composite	055
	Permit Limits					N/A								✓
51522 (ML-1) RF-B Perfluorobutanoic Acid Year Round	Reported						22.8 Rpt Only Avg. Month	44.4 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51526 (ML-1) RF-B Perfluorooctanesulfonate Year Round	Reported						3.5 Rpt Only Avg. Month	3.9 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51623 (ML-1) RF-B Perfluoropentanoic Acid Year Round	Reported						12.8 Rpt Only Avg. Month	26.2 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51624 (ML-1) RF-B Perfluorohexanoic Acid Year Round	Reported						25.5 Rpt Only Avg. Month	50.6 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51625 (ML-1) RF-B Perfluoroheptanoic Acid Year Round	Reported						18.9 Rpt Only Avg. Month	37.8 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51626 (ML-1) RF-B Perfluorononanoic Acid Year Round	Reported						5.5 Rpt Only Avg. Month	12.8 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51627 (ML-1) RF-B Perfluorodecanoic Acid Year Round	Reported						2.4 Rpt Only Avg. Month	6.0 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51629 (ML-1) RF-B Perfluorododecanoic Acid Year Round	Reported						0.1 Rpt Only Avg. Month	1.7 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓
51633 (ML-1) RF-B Perfluorohexane Sulfonate Year Round	Reported						10.0 Rpt Only Avg. Month	12.1 Rpt Only Max. Daily		NG/L	0	1/week 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A			N/A								✓

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee:

James W Hollingsworth
Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

7/19/2024





Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV0001279 Jul 2024
(08/06/2024)
Status: ERIIS - Closed - Issued

Type: Electronic DMR
#150800
Permit ID: EDMR150800
Printed: Feb. 12, 2025 2:30 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 002 Type: NORMAL
Report for the Month of: July Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units							Measurement Frequency	Sample Type	Lab
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.	Test Flag			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						5.86	6.40		mgd	0	1/week	measured	999	
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓	
00310 (ML-1) RF-A Bod Year Round	Reported	78.7	86.7	Lbs/Day	0		1.6	1.8		mg/l	0	1/week	24 hr Composite	361	
	Permit Limits	404 Avg. Month	1078 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓	
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	265.8	478.9	Lbs/Day	0		5.5	10.0		mg/l	0	1/week	24 hr Composite	361	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓	
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	222.1	317.6	Lbs/Day	0		3.8	6.5		mg/l	0	1/week	Calculated	361	
	Permit Limits	681 Avg. Month	2210 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓	
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported						23.1	23.1		Cnts/100ml	0	1/month	Grab	361	
	Order Limits	N/A	N/A			N/A	Rpt Only Mon. Geo.	Rpt Only Max. Daily				1/month		✓	
00400 (ML-1) RF-A Ph Year Round	Reported					2.96		9.62		S.U.	0	Continuous	Recorded	999	
	Permit Limits	N/A	N/A			6 Inst. Min.	N/A	9 Inst. Max.				Continuous		✓	
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	44.6	77.1	Lbs/Day	0		0.9	1.6		mg/l	0	1/week	24 hr Composite	361	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	3.2 Avg. Month	5.4 Max. Daily				1/week		✓	
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100	0.1	mg/l	0	1/week	Grab	999	
	Permit Limits	N/A	N/A			N/A	0.028 Avg. Month	0.057 Max. Daily				1/week		✓	
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported						<0.01	<0.01		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	<0.01	<0.01	Lbs/Day	0		<0.2	<0.2		ug/l	0	1/month	Grab	361	
	Permit Limits	0.62 Avg. Month	2.9 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported		0	Ocur/Mon	0							Continuous	Continuous	999	
	Permit Limits	N/A	0 Max. Daily			N/A	N/A	N/A				Continuous		✓	
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported							77		Minutes	0	Continuous	Continuous	999	
	Permit Limits	N/A	N/A			N/A	N/A	446 Monthly Tot				Continuous		✓	
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	<0.01	<0.01	Lbs/Day	0		<0.2	<0.2		ug/l	0	1/month	Grab	361	
	Permit Limits	1.9 Avg. Month	5.1 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.005	<0.005	Lbs/Day	0		<0.1	<0.1		mg/l	0	1/month	Grab	361	
	Permit Limits	0.48 Avg. Month	1.3 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported						3.3	3.3		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
32106 (ML-1) RF-A Chloroform Year Round	Reported	<0.005	<0.005	Lbs/Day	0		<0.1	<0.1		ug/l	0	1/month	Grab	361	
	Permit Limits	1.9 Avg. Month	5.6 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
81020 (ML-1) RF-A Sulfate Year Round	Reported						623.0	623.0		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓	
51065 (ML-1) RF-A Ploa Year Round	Reported	0.04	0.04	Lbs/Day	0		0.76	0.97		ug/l	0	1/week	24 hr Composite	055	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	2 Avg. Month	3.3 Max. Daily				1/week		✓	
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.07	0.13	Lbs/Day	0		1.47	2.88		ug/l	2	1/week	24 hr Composite	055	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	1.4 Avg. Month	2.3 Max. Daily				1/week		✓	

eDMR Worksheet

Permit: WV0001279 Outlet No: 005 Type: NORMAL
Report for the Month of: July Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units							Measurement Frequency	Sample Type	Lab
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.	Test Flag			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported	N/A	N/A			N/A	45.49 Rpt Only Avg. Month	53.44 Rpt Only Max. Daily		mgd	0	1/week	measured	999	
	Permit Limits											1/week		✓	
00400 (ML-1) RF-A Ph Year Round	Reported	N/A	N/A			6.97 6 Inst. Min.	N/A	8.34 9 Inst. Max.		S.U.	0	1/daily	Grab	999	
	Permit Limits											1/daily		✓	
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	N/A	N/A			N/A	0.52 3.2 Avg. Month	0.52 5.4 Max. Daily		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits											1/month		✓	
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported	N/A	N/A			N/A	1.06 Rpt Only Avg. Month	1.06 Rpt Only Max. Daily		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits											1/month		✓	

50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100				1/week		999
	Permit Limits	N/A	N/A			N/A	0.028 Avg. Month	0.057 Max. Daily	0.1	mg/l	0	1/week	Grab	✓
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						92.8	92.8				1/month		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		DEG.F	0	1/month	Insitu	✓
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						81.8	81.8				1/month		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		DEG.F	0	1/month	Insitu	✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	2567.9	2567.9				7.46	7.46				1/month		361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mg/l	0	1/month	24 hr Composite	✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.15	0.15				0.43	0.43				1/month		361
	Permit Limits	4.4 Avg. Month	12.7 Max. Daily	Lbs/Day	0	N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		ug/l	0	1/month	Grab	✓
51065 (ML-1) RF-A Pfoa Year Round	Reported	0.07	0.08				0.20	0.23				1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	0.3 Avg. Month	0.7 Max. Daily		ug/l	0	1/week	24 hr Composite	✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.55	1.15				1.36	2.56				1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	1.1 Avg. Month	2.3 Max. Daily		ug/l	2	1/week	24 hr Composite	✓

eDMR Worksheet Certification
I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee:

James W Hollingsworth


Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

8/21/2024





Applicant: THE CHEMOURS COMPANY FC, LLC

Reference ID: WV0001279 Aug 2024 (09/18/2024)

Status: ERIS - Closed - Issued

Type: Electronic DMR #151759

Permit ID: EDMR151759

Printed: Feb. 12, 2025 2:30 PM

eDMR Worksheet

Permit: WV0001279

Outlet No: 002

Type: NORMAL

Report for the Month of: August

Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						5.95	6.31		mgd	0	1/week	measured	999
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00310 (ML-1) RF-A Bod Year Round	Reported	114.9	336.3	Lbs/Daily	0		2.4	6.8		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	404	1078				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	299.7	448.4	Lbs/Daily	0		6.7	10.0		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	226.8	350.1	Lbs/Daily	0		2.0	7.5		mg/l	0	1/week	Calculated	361
	Permit Limits	681	2210				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported						166.4	166.4		Cnts/100ml	0	1/month	Grab	361
	Order Limits	N/A	N/A				Rpt Only Mon. Geo.	Rpt Only Max. Daily				1/month		✓
00400 (ML-1) RF-A Ph Year Round	Reported					6.57		8.94		S.U.	0	Continuous	Recorded	999
	Permit Limits	N/A	N/A			6 Inst. Min.	N/A	9 Inst. Max.				Continuous		✓
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	44.7	134.5	Lbs/Daily	0		0.9	2.7		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				3.2	5.4				1/week		✓
00600 (ML-1) RF-D Nitrogen, Total (As N) Year Round	Reported	78.79	78.79	Lbs/Daily	0		1.57	1.57		mg/l	0	1/year	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				Rpt Only Avg. Month	Rpt Only Max. Daily				1/year		✓
00665 (ML-1) RF-D Phosphorus, Total (As P) Year Round	Reported	25.72	25.72	Lbs/Daily	0		0.51	0.51		mg/l	0	1/year	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				Rpt Only Avg. Month	Rpt Only Max. Daily				1/year		✓
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100		0.1	mg/l	0	1/week	999
	Permit Limits	N/A	N/A				0.028 Avg. Month	0.057 Max. Daily				1/week	Grab	✓
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported						0.01	0.01		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	0.09	0.09	Lbs/Daily	0		2.0	2.0		ug/l	0	1/month	Grab	361
	Permit Limits	0.62	2.9				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported		0	Ocur/Mon	0							Continuous	Continuous	999
	Permit Limits	N/A	0				N/A	N/A				Continuous		✓
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported							3		Minutes	0	Continuous	Continuous	999
	Permit Limits	N/A	N/A				N/A	446 Monthly Tot				Continuous		✓
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	0.01	0.01	Lbs/Daily	0		0.2	0.2		ug/l	0	1/month	Grab	361
	Permit Limits	1.9	5.1				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.005	<0.005	Lbs/Daily	0		<0.1	<0.1		mg/l	0	1/month	Grab	361
	Permit Limits	0.48	1.3				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported						3.4	3.4		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	<0.005	<0.005	Lbs/Daily	0		<0.1	<0.1		ug/l	0	1/month	Grab	361
	Permit Limits	1.9	5.6				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
81020 (ML-1) RF-A Sulfate Year Round	Reported						723.0	723.0		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
51065 (ML-1) RF-A Ploa Year Round	Reported	0.02	0.02	Lbs/Daily	0		0.36	0.52		ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				2 Avg. Month	3.3 Max. Daily				1/week		✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.07	0.28	Lbs/Daily	0		1.79	7.86		ug/l	2	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				1.4 Avg. Month	2.3 Max. Daily				1/week		✓

eDMR Worksheet

Permit: WV0001279

Outlet No: 005

Type: NORMAL

Report for the Month of: August

Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						46.97	51.83		mgd	0	1/week	measured	999
	Permit Limits	N/A	N/A				Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00400 (ML-1) RF-A Ph Year Round	Reported					7.23		8.13		S.U.	0	1/daily	Grab	999
	Permit Limits	N/A	N/A			6 Inst. Min.	N/A	9 Inst. Max.				1/daily		✓

00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported					1.16	1.16		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	N/A	N/A			N/A	3.2 Avg. Month				5.4 Max. Daily		1/month	<div>▼</div>
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported					0.61	0.61		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily		1/month	<div>▼</div>
00600 (ML-1) RF-D Nitrogen, Total (As N) Year Round	Reported	862.4	862.4	Lbs/Day	0	2.22	2.22		mg/l	0	1/year	24 hr Composite	361	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily		1/year	<div>▼</div>
00665 (ML-1) RF-D Phosphorus, Total (As P) Year Round	Reported	117.2	117.2	Lbs/Day	0	0.30	.30		mg/l	0	1/year	24 hr Composite	361	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily		1/year	<div>▼</div>
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported					<0.100	<0.100				1/week	Grab	999	
	Permit Limits	N/A	N/A			N/A	0.028 Avg. Month				0.057 Max. Daily		0.1	mg/l
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					92.6	92.6			DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily	1/month		<div>▼</div>
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					82.5	82.5			DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily	1/month		<div>▼</div>
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	2109.5	2109.5	Lbs/Day	0	4.88	4.88		mg/l	0	1/month	24 hr Composite	361	
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily		1/month	<div>▼</div>
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.22	0.22	Lbs/Day	0	0.51	0.51			ug/l	0	1/month	Grab	361
	Permit Limits	4.4 Avg. Month	12.7 Max. Daily			N/A	Rpt Only Avg. Month				Rpt Only Max. Daily	1/month		<div>▼</div>
51065 (ML-1) RF-A Ploa Year Round	Reported	0.07	0.10	Lbs/Day	0	0.17	0.24			ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	0.3 Avg. Month				0.7 Max. Daily	1/week		<div>▼</div>
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.83	2.85	Lbs/Day	0	2.09	6.98			ug/l	2	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	1.1 Avg. Month				2.3 Max. Daily	1/week		<div>▼</div>

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee:

Title:


Date:

James W Hollingsworth

Principal Executive Officer or Authorized Agent

Plant Manager

9/25/2024





Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV0001279 Sep 2024
(10/09/2024)
Status: ERIIS - Closed - Issued

Type: Electronic DMR
#153301
Permit ID: EDMR153301
Printed: Feb. 12, 2025 2:29 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 005 Type: NORMAL
Report for the Month of: September Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported					N/A	42.67 Rpt Only Avg. Month	50.24 Rpt Only Max. Daily		mgd	0	1/week 1/week	measured	999
	Permit Limits	N/A	N/A											✓
74055 (ML-1) RF-B Coliform, Fecal Year Round	Reported					N/A	32.7 Rpt Only Mon. Geo.	32.7 Rpt Only Max. Daily		Cnts/100ml	0	1/quarter 1/quarter	Grab	361
	Permit Limits	N/A	N/A											✓
00400 (ML-1) RF-A Ph Year Round	Reported					7.20 6 Inst. Min.	8.03 N/A Inst. Max.			S.U.	0	1/daily 1/daily	Grab	999
	Permit Limits	N/A	N/A											✓
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported					N/A	0.20 3.2 Avg. Month	0.20 5.4 Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported					N/A	0.76 Rpt Only Avg. Month	0.76 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported					N/A	<0.100 0.028 Avg. Month	<0.100 0.057 Max. Daily	0.1	mg/l	0	1/week 1/week	Grab	999
	Permit Limits	N/A	N/A											✓
01119 (ML-1) RF-B Copper Total Recoverable Year Round	Reported					N/A	0.006 Rpt Only Avg. Month	0.006 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
01114 (ML-1) RF-B Lead Total Recoverable Year Round	Reported					N/A	<0.008 Rpt Only Avg. Month	<0.008 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
01094 (ML-1) RF-B Zinc Total Recoverable Year Round	Reported					N/A	<0.01 Rpt Only Avg. Month	<0.01 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
71900 (ML-1) RF-B Mercury, Total (As Hg) Year Round	Reported					N/A	<0.005 Rpt Only Avg. Month	<0.005 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	060
	Permit Limits	N/A	N/A											✓
01104 (ML-1) RF-B Aluminum, Total Recoverable Year Round	Reported					N/A	0.21 Rpt Only Avg. Month	0.21 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
00980 (ML-1) RF-B Iron, Total Recoverable Year Round	Reported					N/A	0.46 Rpt Only Avg. Month	0.46 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
61426 (ML-1) RF-B Toxicity, Ceriodaphnia Chronic Year Round	Reported					N/A	0 Rpt Only Avg. Month	0 Rpt Only Max. Daily		TUc	0	1/quarter 1/quarter	24 hr Composite	060
	Permit Limits	N/A	N/A											✓
61428 (ML-1) RF-B Toxicity, Pimephales Chronic Year Round	Reported					N/A	0 Rpt Only Avg. Month	0 Rpt Only Max. Daily		TUc	0	1/quarter 1/quarter	24 hr Composite	060
	Permit Limits	N/A	N/A											✓
34423 (ML-1) RF-B Methylene Chloride Year Round	Reported	<0.07 1.9 Avg. Month	<0.07 7.5 Max. Daily	Lbs/Day	0	N/A	<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	361
	Permit Limits													✓
39180 (ML-1) RF-B Trichloroethylene Year Round	Reported	<0.08 1.2 Avg. Month	<0.08 3.3 Max. Daily	Lbs/Day	0	N/A	<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	361
	Permit Limits													✓
34418 (ML-1) RF-B Methyl Chloride Year Round	Reported	<0.07 5.2 Avg. Month	<0.07 13.4 Max. Daily	Lbs/Day	0	N/A	<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	361
	Permit Limits													✓
79531 (ML-1) RF-B 3,4 Benzofluoranthene Year Round	Reported	<0.09 1 Avg. Month	<0.09 2.6 Max. Daily	Lbs/Day	0	N/A	<0.25 0.1 Avg. Month	<0.25 0.15 Max. Daily		ug/l	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits													✓
00981 (ML-1) RF-B Selenium, Total Recoverable Year Round	Reported					N/A	<0.014 Rpt Only Avg. Month	<0.014 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
00978 (ML-1) RF-B Arsenic, Total Recoverable Year Round	Reported					N/A	<0.004 Rpt Only Avg. Month	<0.004 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
34010 (ML-1) RF-B Toluene Year Round	Reported	<0.03 1.4 Avg. Month	<0.03 3.8 Max. Daily	Lbs/Day	0	N/A	<0.1 Rpt Only Avg. Month	<0.1 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	361
	Permit Limits													✓
01097 (ML-1) RF-B Antimony, Total (As Sb) Year Round	Reported					N/A	<0.04 Rpt Only Avg. Month	<0.04 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
32730 (ML-1) RF-B Phenolics, Total Recoverable Year Round	Reported					N/A	<0.003 Rpt Only Avg. Month	<0.003 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A											✓
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					N/A	88.0 Rpt Only Avg. Month	88.0 Rpt Only Max. Daily		DEG.F	0	1/month 1/month	Insitu	999
	Permit Limits	N/A	N/A											✓
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					N/A	76.0 Rpt Only Avg. Month	76.0 Rpt Only Max. Daily		DEG.F	0	1/month 1/month	Insitu	999
	Permit Limits	N/A	N/A											✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	1604.6 Rpt Only Avg. Month	1604.6 Rpt Only Max. Daily	Lbs/Day	0	N/A	4.38 Rpt Only Avg. Month	4.38 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits													✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	<0.04 4.4 Avg. Month	<0.04 12.7 Max. Daily	Lbs/Day	0	N/A	<0.10 Rpt Only Avg. Month	<0.10 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361
	Permit Limits													✓

01059 (ML-1) RF-B Thallium, Total (As TI) Year Round	Reported						<0.08	<0.08			mg/l	0	1/quarter		361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51065 (ML-1) RF-A Pfoa Year Round	Reported	0.07	0.09				0.18	0.23			ug/l	0	1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	0.3 Avg. Month	0.7 Max. Daily					1/week	24 hr Composite	✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.56	0.71				1.52	1.96			ug/l	1	1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	1.1 Avg. Month	2.3 Max. Daily					1/week	24 hr Composite	✓
51522 (ML-1) RF-B Perfluorobutanoic Acid Year Round	Reported						69.5	69.5			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51526 (ML-1) RF-B Perfluorooctanesulfonate Year Round	Reported						5.2	5.2			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51623 (ML-1) RF-B Perfluoropentanoic Acid Year Round	Reported						2195.0	2195.0			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51624 (ML-1) RF-B Perfluorohexanoic Acid Year Round	Reported						49.6	49.6			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51625 (ML-1) RF-B Perfluoroheptanoic Acid Year Round	Reported						13.7	13.7			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51626 (ML-1) RF-B Perfluorononanoic Acid Year Round	Reported						9.5	9.5			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51627 (ML-1) RF-B Perfluorodecanoic Acid Year Round	Reported						4.1	4.1			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51629 (ML-1) RF-B Perfluorododecanoic Acid Year Round	Reported						2.5	2.5			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓
51633 (ML-1) RF-B Perfluorohexane Sulfonate Year Round	Reported						2.9	2.9			NG/L	0	1/week		055
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily					1/quarter	24 hr Composite	✓

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.


Name of Signee:

James W Hollingsworth
Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

10/24/2024 



Applicant: THE CHEMOURS COMPANY FC, LLC

Reference ID: WV0001279 Oct 2024 (11/11/2024)

Status: ERIIS - Closed - Issued

Type: Electronic DMR #154300

Permit ID: EDMR154300

Printed: Feb. 12, 2025 2:27 PM

eDMR Worksheet

Permit: WV0001279

Outlet No: 005

Type: NORMAL

Report for the Month of: October

Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Retrieve Parameters eDMR Schedule

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						40.03	46.92		mgd	0	1/week	measured	999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00400 (ML-1) RF-A Ph Year Round	Reported					6.85		8.22		S.U.	0	1/daily	Grab	999
	Permit Limits	N/A	N/A			Inst. Min.	N/A	Inst. Max.				1/daily		✓
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported						0.45	0.45		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A	Avg. Month	Max. Daily				1/month		✓
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported						2.47	2.47		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100		mg/l	0	1/week	Grab	999
	Permit Limits	N/A	N/A			N/A	Avg. Month	Max. Daily	0.1			1/week		✓
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						81.7	81.7		DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						78.9	78.9		DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	805.3	805.3	Lbs/Day	0		4.2	4.2		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.11	0.11	Lbs/Day	0		0.59	0.59		ug/l	0	1/month	Grab	361
	Permit Limits	Avg. Month	Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
51065 (ML-1) RF-A Pfoa Year Round	Reported	0.05	0.07	Lbs/Day	0		0.16	0.37		ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Avg. Month	Max. Daily				1/week		✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.37	0.79	Lbs/Day	0		1.43	4.11		ug/l	2	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Avg. Month	Max. Daily				1/week		✓

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee: James W Hollingsworth

Title: Principal Executive Officer or Authorized Agent

Date: Plant Manager

Date: 11/21/2024



Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV0001279 Nov 2024 (12/05/2024)
Status: ERIIS - Closed - Issued

Type: Electronic DMR #155198
Permit ID: EDMR155198
Printed: Feb. 12, 2025 2:18 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 002 Type: NORMAL
Report for the Month of: November Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Retrieve Parameters **eDMR Schedule**

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						5.09	5.69				1/week		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mgd	0	1/week	measured	✓
00310 (ML-1) RF-A Bod Year Round	Reported	98.5	125.9	Lbs/Da	0		2.3	3.0		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	404	1078			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	<214.1	<231.5	Lbs/Da	0		<5.0	<5.0		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	404	1078			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	<214.1	<231.5	Lbs/Da	0		0	0		mg/l	0	1/week	Calculated	361
	Permit Limits	681	2210			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported						50.4	50.4		Cnts/100ml	0	1/month	Grab	361
	Order Limits	N/A	N/A			N/A	Rpt Only Mon. Geo.	Rpt Only Max. Daily				1/month		✓
00400 (ML-1) RF-A Ph Year Round	Reported					6.57		8.64		S.U.	0	Continuous	Recorded	999
	Permit Limits	N/A	N/A			6	N/A	9				Continuous		✓
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	22.8	28.4	Lbs/Da	0		0.5	0.3		mg/l	0	1/week	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/week		✓
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100				1/week		999
	Permit Limits	N/A	N/A			N/A	0.028 Avg. Month	0.057 Max. Daily	0.1	mg/l	0	1/week	Grab	✓
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported						<0.01	<0.01		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	<0.01	<0.01	Lbs/Da	0		<0.2	<0.2		ug/l	0	1/month	Grab	361
	Permit Limits	0.62	2.9			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported		0	Ocur/Mon	0							Continuous	Continuous	999
	Permit Limits	N/A	0			N/A	N/A	N/A				Continuous		✓
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported							0		Minutes	0	Continuous	Continuous	999
	Permit Limits	N/A	N/A			N/A	N/A	446				Continuous		✓
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	<0.01	<0.01	Lbs/Da	0		<0.2	<0.2		ug/l	0	1/month	Grab	361
	Permit Limits	1.9	5.1			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.005	<0.005	Lbs/Da	0		<0.1	<0.1		mg/l	0	1/month	Grab	361
	Permit Limits	0.48	1.3			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported						2.2	2.2		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.02	0.02	Lbs/Da	0		0.3	0.3		ug/l	0	1/month	Grab	361
	Permit Limits	1.9	5.6			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
81020 (ML-1) RF-A Sulfate Year Round	Reported						762.0	762.0		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily				1/month		✓
51065 (ML-1) RF-A Ploa Year Round	Reported	0.03	0.03	Lbs/Da	0		0.67	0.73		ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	2	3.3				1/week		✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.32	0.62	Lbs/Da	0		7.76	15.7		ug/l	4	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	1.4	2.3				1/week		✓

eDMR Worksheet

Permit: WV0001279 Outlet No: 005 Type: NORMAL
Report for the Month of: November Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Retrieve Parameters **eDMR Schedule**

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						39.43	44.78				1/week		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mgd	0	1/week	measured	✓
00400 (ML-1) RF-A Ph Year Round	Reported					6.83		8.22		S.U.	0	1/daily	Grab	999
	Permit Limits	N/A	N/A			6	N/A	9				1/daily		✓

00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported					0.28	0.28		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A		N/A	3.2 Avg. Month	5.4 Max. Daily	1/month					
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported					1.88	1.88		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	N/A	N/A		N/A	Rpt Only Avg. Month	Rpt Only Max. Daily	1/month					
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported					<0.100	<0.100	0.1	mg/l	0	1/week	Grab	999
	Permit Limits	N/A	N/A		N/A	0.028 Avg. Month	0.057 Max. Daily				1/week		
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					78.8	78.8		DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A		N/A	Rpt Only Avg. Month	Rpt Only Max. Daily	1/month					
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported					65.1	65.1		DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A		N/A	Rpt Only Avg. Month	Rpt Only Max. Daily	1/month					
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	1312.4	1312.4	Lbs/Day	0	3.86	3.86		mg/l	0	1/month	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily			1/month		
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.14	0.14	Lbs/Day	0	0.41	0.41		ug/l	0	1/month	Grab	361
	Permit Limits	4.4 Avg. Month	12.7 Max. Daily			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily			1/month		
51065 (ML-1) RF-A Pfoa Year Round	Reported	0.05	0.08	Lbs/Day	0	0.16	0.23		ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	0.3 Avg. Month	0.7 Max. Daily			1/week		
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.94	1.07	Lbs/Day	0	2.93	3.55		ug/l	5	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily			N/A	1.1 Avg. Month	2.3 Max. Daily			1/week		

eDMR Worksheet Certification
I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.


Name of Signee:

James W Hollingsworth
Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

12/18/2024 



Applicant: THE CHEMOURS COMPANY FC, LLC
Reference ID: WV0001279 Dec 2024 (01/14/2025)
Status: ERIIS - Closed - Issued

Type: Electronic DMR #156768
Permit ID: EDMR156768
Printed: Feb. 12, 2025 2:17 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 002 Type: NORMAL
 Report for the Month of: December Year: 2024

Lab Performing Analysis:
 361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported	N/A	N/A			N/A	5.26 Rpt Only Avg. Month	5.86 Rpt Only Max. Daily		mgd	0	1/week 1/week	measured	999
00310 (ML-1) RF-A Bod Year Round	Reported	159.3	202.9			N/A	3.7 Rpt Only Avg. Month	4.7 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361
00530 (ML-1) RF-A Suspended Solids, Total Year Round	Reported	291.2	886.0			N/A	6.9 Rpt Only Avg. Month	21.0 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361
00530 (ML-2) RF-A Suspended Solids, Total Year Round	Reported	117.1	435.4			N/A	0.1 Rpt Only Avg. Month	0.5 Rpt Only Max. Daily		mg/l	0	1/week 1/week	Calculated	361
74055 (ML-1) RF-A Coliform, Fecal Year Round	Reported	N/A	N/A			N/A	3.1 Rpt Only Mon. Geo.	3.1 Rpt Only Max. Daily		Cnts/100ml	0	1/month 1/month	Grab	361
00400 (ML-1) RF-A Ph Year Round	Reported	N/A	N/A			6.33 Inst. Min.	N/A	9.67 Inst. Max.		S.U.	0	Continuous Continuous	Recorded	999
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	82.2	140.3			N/A	1.9 Rpt Only Avg. Month	3.3 Rpt Only Max. Daily		mg/l	0	1/week 1/week	24 hr Composite	361
00620 (ML-1) RF-B Nitrogen, Nitrate Total (As N) Year Round	Reported	N/A	N/A			N/A	0.66 Rpt Only Avg. Month	0.66 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported	N/A	N/A			N/A	<0.100 Rpt Only Avg. Month	<0.100 Rpt Only Max. Daily	0.1	mg/l	0	1/week 1/week	Grab	999
01119 (ML-1) RF-B Copper Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.006 Rpt Only Avg. Month	0.006 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
01094 (ML-1) RF-A Zinc Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.06 Rpt Only Avg. Month	0.06 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
71900 (ML-1) RF-B Mercury, Total (As Hg) Year Round	Reported	N/A	N/A			N/A	0.0022 Rpt Only Avg. Month	0.0022 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	060
01104 (ML-1) RF-B Aluminum, Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.08 Rpt Only Avg. Month	0.08 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
00980 (ML-1) RF-B Iron, Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.11 Rpt Only Avg. Month	0.11 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
00940 (ML-1) RF-B Chloride (As Cl) Year Round	Reported	N/A	N/A			N/A	83.6 Rpt Only Avg. Month	83.6 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
61425 (ML-1) RF-B Toxicity, Ceriodaphnia Acute Year Round	Reported	N/A	N/A			N/A	0 Rpt Only Avg. Month	0 Rpt Only Max. Daily		TUa	0	1/quarter 1/quarter	24 hr Composite	060
61427 (ML-1) RF-B Toxicity, Pimephales Acute Year Round	Reported	N/A	N/A			N/A	<1.0 Rpt Only Avg. Month	<1.0 Rpt Only Max. Daily		TUa	0	1/quarter 1/quarter	24 hr Composite	060
34423 (ML-1) RF-A Methylene Chloride Year Round	Reported	<0.01	<0.01			N/A	<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361
82581 (ML-1) RF-A Ph Range Excursions, > 60 Minutes Year Round	Reported	0	0			N/A	N/A	N/A				Continuous Continuous	Continuous	999
82582 (ML-1) RF-A Ph Range Excursions, Monthly Total Accum Year Round	Reported	N/A	N/A			N/A	N/A	53 Monthly Tot		Minutes	0	Continuous Continuous	Continuous	999
39180 (ML-1) RF-B Trichloroethylene Year Round	Reported	<0.01	<0.01			N/A	<0.23 Rpt Only Avg. Month	<0.23 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	361
34418 (ML-1) RF-A Methyl Chloride Year Round	Reported	<0.01	<0.01			N/A	<0.2 Rpt Only Avg. Month	<0.2 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361
01051 (ML-1) RF-B Lead, Total (As Pb) Year Round	Reported	N/A	N/A			N/A	<0.008 Rpt Only Avg. Month	<0.008 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
79531 (ML-1) RF-B 3,4 Benzofluoranthene Year Round	Reported	<0.01	<0.01			N/A	<0.25 Rpt Only Avg. Month	<0.25 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	24 hr Composite	055
00981 (ML-1) RF-B Selenium, Total Recoverable Year Round	Reported	N/A	N/A			N/A	<0.014 Rpt Only Avg. Month	<0.014 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
00978 (ML-1) RF-B Arsenic, Total Recoverable Year Round	Reported	N/A	N/A			N/A	<0.004 Rpt Only Avg. Month	<0.004 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
34010 (ML-1) RF-A Toluene Year Round	Reported	<0.004	<0.004			N/A	<0.1 Rpt Only Avg. Month	<0.1 Rpt Only Max. Daily		mg/l	0	1/month 1/month	Grab	361

01097 (ML-1) RF-B Antimony, Total (As Sb) Year Round	Reported							<0.04 Rpt Only Avg. Month	<0.04 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A												✓
32730 (ML-1) RF-B Phenolics, Total Recoverable Year Round	Reported							<0.003 Rpt Only Avg. Month	<0.003 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A												✓
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported							5.3 Rpt Only Avg. Month	5.3 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A												✓
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.01 1.9	0.01 5.6	Lbs/Day	0			0.2 Rpt Only Avg. Month	0.2 Rpt Only Max. Daily		ug/l	0	1/month 1/month	Grab	361
	Permit Limits	Avg. Month	Max. Daily												✓
81020 (ML-1) RF-A Sulfate Year Round	Reported							827.0 Rpt Only Avg. Month	827.0 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
	Permit Limits	N/A	N/A												✓
01059 (ML-1) RF-B Thallium, Total (As Tl) Year Round	Reported							<0.08 Rpt Only Avg. Month	<0.08 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A												✓
51065 (ML-1) RF-A Ploa Year Round	Reported	0.02	0.03	Lbs/Day	0			0.58 Rpt Only Avg. Month	0.77 Rpt Only Max. Daily		ug/l	0	1/week 1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily												✓
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.09	0.16	Lbs/Day	0			2.05 Rpt Only Avg. Month	3.75 Rpt Only Max. Daily		ug/l	2	1/week 1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily												✓
51522 (ML-1) RF-B Perfluorobutanoic Acid Year Round	Reported							19.7 Rpt Only Avg. Month	36.7 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51526 (ML-1) RF-B Perfluorooctanesulfonate Year Round	Reported							4.9 Rpt Only Avg. Month	6.1 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51623 (ML-1) RF-B Perfluoropentanoic Acid Year Round	Reported							14.3 Rpt Only Avg. Month	34.3 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51624 (ML-1) RF-B Perfluorohexanoic Acid Year Round	Reported							23.7 Rpt Only Avg. Month	49.5 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51625 (ML-1) RF-B Perfluoroheptanoic Acid Year Round	Reported							17.8 Rpt Only Avg. Month	35.5 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51626 (ML-1) RF-B Perfluorononanoic Acid Year Round	Reported							6.6 Rpt Only Avg. Month	16.6 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51627 (ML-1) RF-B Perfluorodecanoic Acid Year Round	Reported							4.1 Rpt Only Avg. Month	6.6 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51629 (ML-1) RF-B Perfluorododecanoic Acid Year Round	Reported							3.1 Rpt Only Avg. Month	4.2 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓
51633 (ML-1) RF-B Perfluorohexane Sulfonate Year Round	Reported							8.1 Rpt Only Avg. Month	10.9 Rpt Only Max. Daily		NG/L	0	1/quarter 1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A												✓

eDMR Worksheet

Permit: WV0001279 Outlet No: 005 Type: NORMAL Report for the Month of: December Year: 2024

Lab Performing Analysis:
361 - MICROBAC LABORATORIES, INC. OH

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			Test Flag
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported	N/A	N/A			N/A	31.70 Rpt Only Avg. Month	34.24 Rpt Only Max. Daily		mgd	0	1/week 1/week	measured	999
74055 (ML-1) RF-B Coliform, Fecal Year Round	Reported	N/A	N/A			N/A	2.0 Rpt Only Mon. Geo.	2.0 Rpt Only Max. Daily		Cnts/100ml	0	1/quarter 1/quarter	Grab	361
00400 (ML-1) RF-A Ph Year Round	Reported	N/A	N/A			6.83 Inst. Min.	8.26 N/A	9 Inst. Max.		S.U.	0	1/daily 1/daily	Grab	999
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported	N/A	N/A			N/A	0.31 Rpt Only Avg. Month	0.31 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported	N/A	N/A			N/A	1.83 Rpt Only Avg. Month	1.83 Rpt Only Max. Daily		mg/l	0	1/month 1/month	24 hr Composite	361
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported	N/A	N/A			N/A	<0.100 Rpt Only Avg. Month	<0.100 Rpt Only Max. Daily	0.1	mg/l	0	1/week 1/week	Grab	999
01119 (ML-1) RF-B Copper Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.007 Rpt Only Avg. Month	0.007 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
01114 (ML-1) RF-B Lead Total Recoverable Year Round	Reported	N/A	N/A			N/A	<0.008 Rpt Only Avg. Month	<0.008 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
01094 (ML-1) RF-B Zinc Total Recoverable Year Round	Reported	N/A	N/A			N/A	<0.010 Rpt Only Avg. Month	<0.010 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
71900 (ML-1) RF-B Mercury, Total (As Hg) Year Round	Reported	N/A	N/A			N/A	<0.005 Rpt Only Avg. Month	<0.005 Rpt Only Max. Daily		ug/l	0	1/quarter 1/quarter	Grab	060
01104 (ML-1) RF-B Aluminum, Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.08 Rpt Only Avg. Month	0.08 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
00980 (ML-1) RF-B Iron, Total Recoverable Year Round	Reported	N/A	N/A			N/A	0.11 Rpt Only Avg. Month	0.11 Rpt Only Max. Daily		mg/l	0	1/quarter 1/quarter	24 hr Composite	361
61426 (ML-1) RF-B Toxicity, Ceriodaphnia Chronic Year Round	Reported	N/A	N/A			N/A	0 Rpt Only Avg. Month	0 Rpt Only Max. Daily		TUc	0	1/quarter 1/quarter	24 hr Composite	060

61428 (ML-1) RF-B Toxicity, Pimephales Chronic Year Round	Reported						0	0	TUC	0	1/quarter	24 hr Composite	060
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
34423 (ML-1) RF-B Methylene Chloride Year Round	Reported	<0.04	<0.04	Lbs/Day	0		<0.2	<0.2	ug/l	0	1/quarter	Grab	361
	Permit Limits	1.9 Avg. Month	7.5 Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
39180 (ML-1) RF-B Trichloroethylene Year Round	Reported	<0.04	<0.04	Lbs/Day	0		<0.2	<0.2	ug/l	0	1/quarter	Grab	361
	Permit Limits	1.2 Avg. Month	3.3 Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
34418 (ML-1) RF-B Methyl Chloride Year Round	Reported	<0.04	<0.04	Lbs/Day	0		<0.2	<0.2	ug/l	0	1/quarter	Grab	361
	Permit Limits	5.2 Avg. Month	13.4 Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
79531 (ML-1) RF-B 3,4 Benzofluoranthene Year Round	Reported	<0.05	<0.05	Lbs/Day	0		<0.25	<0.25	ug/l	0	1/quarter	24 hr Composite	055
	Permit Limits	1 Avg. Month	2.6 Max. Daily				N/A	0.1 Avg. Month			0.15 Max. Daily		1/quarter
00981 (ML-1) RF-B Selenium, Total Recoverable Year Round	Reported						<0.014	<0.014	mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
00978 (ML-1) RF-B Arsenic, Total Recoverable Year Round	Reported						<0.004	<0.004	mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
34010 (ML-1) RF-B Toluene Year Round	Reported	<0.02	<0.02	Lbs/Day	0		<0.1	<0.1	ug/l	0	1/quarter	Grab	361
	Permit Limits	1.4 Avg. Month	3.8 Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
01097 (ML-1) RF-B Antimony, Total (As Sb) Year Round	Reported						<0.04	<0.04	mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
32730 (ML-1) RF-B Phenolics, Total Recoverable Year Round	Reported						<0.003	<0.003	mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						59.4	59.4	DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/month
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						46.1	46.1	DEG.F	0	1/month	Insitu	999
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/month
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	1207.5	1207.5	Lbs/Day	0		4.33	4.33	mg/l	0	1/month	24 hr Composite	361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/month
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.33	0.33	Lbs/Day	0		1.18	1.18	ug/l	0	1/month	Grab	361
	Permit Limits	4.4 Avg. Month	12.7 Max. Daily				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/month
01059 (ML-1) RF-B Thallium, Total (As TI) Year Round	Reported						<0.08	<0.08	mg/l	0	1/quarter	24 hr Composite	361
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51065 (ML-1) RF-A Pfoa Year Round	Reported	0.06	0.08	Lbs/Day	0		0.24	0.29	ug/l	0	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				N/A	0.3 Avg. Month			0.7 Max. Daily		1/week
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.69	1.13	Lbs/Day	0		2.55	4.05	ug/l	3	1/week	24 hr Composite	055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily				N/A	1.1 Avg. Month			2.3 Max. Daily		1/week
51522 (ML-1) RF-B Perfluorobutanoic Acid Year Round	Reported						139.1	480.0	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51526 (ML-1) RF-B Perfluorooctanesulfonate Year Round	Reported						2.3	3.1	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51623 (ML-1) RF-B Perfluoropentanoic Acid Year Round	Reported						7866.6	30200.0	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51624 (ML-1) RF-B Perfluorohexanoic Acid Year Round	Reported						334.4	3000.0	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51625 (ML-1) RF-B Perfluoroheptanoic Acid Year Round	Reported						11.8	15.2	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51626 (ML-1) RF-B Perfluorononanoic Acid Year Round	Reported						5.4	8.8	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51627 (ML-1) RF-B Perfluorodecanoic Acid Year Round	Reported						3.0	5.4	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51629 (ML-1) RF-B Perfluorododecanoic Acid Year Round	Reported						2.2	5.1	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter
51633 (ML-1) RF-B Perfluorohexane Sulfonate Year Round	Reported						2.3	3.1	NG/L	0	1/quarter	24 hr Composite	055
	Permit Limits	N/A	N/A				N/A	Rpt Only Avg. Month			Rpt Only Max. Daily		1/quarter

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee:

James W Hollingsworth
Principal Executive Officer or Authorized Agent

Title:

Plant Manager

Date:

1/23/2025





Applicant: THE CHEMOURS COMPANY FC, LLC

Reference ID: WV0001279 Jan 2025 (02/04/2025)

Status: ERIS - Closed - Issued

Type: Electronic DMR #157447

Permit ID: EDMR157447

Printed: Feb. 20, 2025 12:00 PM

eDMR Worksheet

Permit: WV0001279 Outlet No: 005 Type: NORMAL Lab Performing Analysis: 361 - MICROBAC LABORATORIES, INC. OHI

Report for the Month of: January Year: 2025

Parameter	Permit Limits	Quantity				Other Units						Measurement Frequency	Sample Type	Lab Test Flag
		Avg	Max	Units	Number Exceed.	Min	Avg	Max	CEL*	Units	Number Exceed.			
50050 (ML-1) RF-A Flow, In Conduit Or Treatment Plant Year Round	Reported						29.93	32.40				1/week		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mgd	0	1/week	measured	▼
00400 (ML-1) RF-A Ph Year Round	Reported					6.72	3.2	8.38				1/daily		999
	Permit Limits	N/A	N/A			6 Inst. Min.	N/A	9 Inst. Max.		S.U.	0	1/daily	Grab	▼
00610 (ML-1) RF-A Nitrogen, Ammonia Total Year Round	Reported						0.52	0.52				1/month		361
	Permit Limits	N/A	N/A			N/A	Avg. Month	Max. Daily		mg/l	0	1/month	24 hr Composite	▼
00620 (ML-1) RF-A Nitrogen, Nitrate Total (As N) Year Round	Reported						1.77	1.77				1/month		361
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mg/l	0	1/month	24 hr Composite	▼
50060 (ML-1) RF-A Chlorine, Total Residual Year Round	Reported						<0.100	<0.100				1/week		999
	Permit Limits	N/A	N/A			N/A	0.028 Avg. Month	0.057 Max. Daily	0.1	mg/l	0	1/week	Grab	▼
00011 (ML-1) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						50.3	50.3				1/month		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		DEG.F	0	1/month	Insitu	▼
00011 (ML-7) RF-A Temperature, Water Deg. Fahrenheit Year Round	Reported						36.3	36.3				1/month		999
	Permit Limits	N/A	N/A			N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		DEG.F	0	1/month	Insitu	▼
00680 (ML-1) RF-A Organic Carbon, Total Year Round	Reported	1389.8	1389.8				5.47	5.47				1/month		361
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		mg/l	0	1/month	24 hr Composite	▼
32106 (ML-1) RF-A Chloroform Year Round	Reported	0.44	0.44				1.74	1.74				1/month		361
	Permit Limits	4.4 Avg. Month	12.7 Max. Daily	Lbs/Day	0	N/A	Rpt Only Avg. Month	Rpt Only Max. Daily		ug/l	0	1/month	Grab	▼
51065 (ML-1) RF-A Ploa Year Round	Reported	0.07	0.08				0.26	0.30				1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	0.3 Avg. Month	0.7 Max. Daily		ug/l	0	1/week	24 hr Composite	▼
51715 (ML-1) RF-A Hfpo Dimer Acid Year Round	Reported	0.42	0.90				1.67	3.66				1/week		055
	Permit Limits	Rpt Only Avg. Month	Rpt Only Max. Daily	Lbs/Day	0	N/A	1.1 Avg. Month	2.3 Max. Daily		ug/l	2	1/week	24 hr Composite	▼

eDMR Worksheet Certification

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine and imprisonment for knowing violations.

Name of Signee: James W Hollingsworth
Principal Executive Officer or Authorized Agent

Title: Plant Manager

Date: 2/17/2025 